


80 SERIES®

Heavy-Duty Self-Priming Centrifugal Pumps







80 Series® self-priming centrifugal pumps are available in a variety of configurations for all of your industrial, construction, mining, agricultural, municipal and petroleum fluid-handling needs.

Gorman-Rupp 80 Series® medium head, mild solids-handling, self-priming centrifugal pumps are designed for non-stop work loads.

The straight-in-suction design of these high efficiency pumps guarantees quick positive priming and allows them to operate at higher suction levels than most other self-priming centrifugal pumps.

The liquid being pumped enters directly into the eye of the impeller, and a suction check valve prevents in-line return flow when the pump is shut off.

And, because they have few moving parts, 80 Series pumps are easy to maintain and service, saving money in the long run.

High-Efficiency Impeller

80 Series pumps come equipped with a multi-vane, open impeller for higher efficiencies. Depending on the model, the impeller design will handle up to $2\frac{1}{2}$ " solids. These pumps are perfect for mild-solids handling, medium head applications.



Multiple Seal Options

80 Series pumps are standard with mechanical shaft seals. Grease and gland seals are also available depending on the pumping application. Consult factory for details.



Replaceable Wearplate

The replaceable wearplate is vital in ensuring the pump is operating at peak efficiency around the clock and eliminates the need to replace expensive castings. Wearplates are of extra-thick construction allowing for an extended service life.







- 01 | Heavy-Duty Pedestal
- 02 | Ball Bearings
- 03 | Bearing Oil Monitor
- 04 | Mechanical Shaft Seal
- **05** | Balanced Impeller
- 06 | Replaceable Wearplate
- **07** | Volute
- 08 | Discharge Outlet
- 09 | Suction Check Valve
- 10 | Suction Inlet



OTS noted models are included in the Gorman-Rupp OTS pump program. These products are available anytime, anywhere.

Drive Variations



80 Series®

Basic pump

Size: 1¼" (30 mm) to 10" (250 mm)

Max Capacity: 2800 GPM (176.7 lps)

Max Head: 210' (64.0 m) Max Solids: 2.5" (63.5 mm) Seal Elastomer: Viton®

Material of Construction: Cast Iron*



80 Series®

Cast Iron³

Close-coupled
Shown with explosion-proof motor

Size: 1¼" (30 mm) to 1½" (38 mm)

Max Capacity: 91 GPM (5.7 lps)

Max Head: 72' (21.9 m) Seal Elastomer: Viton® Material of Construction:

*Some models available in additional materials. Consult factory for details



80 Series®

Engine driven

Size: 2" (50 mm) to 10" (250 mm)

Max Capacity: 2800 GPM (176.7 lps)

Max Head: 210' (64.0 m) Max Solids: 2.5" (63.5 mm) Seal Elastomer: Viton®

Material of Construction: Cast Iron, Aluminum



80 Series®

Shield-A-Spark portable engine driven

Size: 2" (50 mm) to 3" (75 mm) Max Capacity: 395 GPM

(24.9 lps)


Max Head: 140' (42.7 m) Seal Elastomer: Viton® Material of Construction:

Aluminum


Engines: Gasoline, Diesel

Pump Performance Data

1¼" to 2" Models



3" to 10" Models



Viton® is a registered trademark of DuPont Performance Elastomers. All rights reserved

FLUID-HANDLING EQUIPMENT DESIGNED WITH YOUR NEEDS IN MIND



★ Manufacturing Facilities

Gorman-Rupp USA Mansfield, Ohio, USA Gorman-Rupp Canada St. Thomas, Ontario, Canada Gorman-Rupp Europe Culemborg, Netherlands Namur, Belgium

Gorman-Rupp Africa
Cape Town, South Africa
Durban, South Africa
Johannesburg, South Africa (Headquarters)

Distribution Centers

Dubai, United Arab Emirates Grand Prairie, Texas, USA Culemborg, Netherlands

Engineering and manufacturing superiority has been the hallmark of Gorman-Rupp since our inception in 1933. Today we bring our products to life in some of the most efficient, modern and state-of-the-art manufacturing facilities in the world. Gorman-Rupp has a selection of nearly 3,000 pump models, and our world-class team of distributors has worked closely with thousands of end users around the world. We have the proven expertise and the resources to specify, manufacture, test and service your pump, and to ensure reliable performance for the long haul.





GORMAN-RUPP PUMPS

P.O. BOX 1217 MANSFIELD, OHIO 44901-1217 | USA TEL: 419.755.1011 | FAX: 419.755.1251



